



**OFFICE OF THE FIRE WARDEN
FIRE PREVENTION BUREAU**

Gary Hinshaw
Fire Warden

Ray Jackson
Deputy Fire Warden

Ken Slamon
Fire Marshal

3705 Oakdale Road, Modesto, CA 95357
Phone: 209.552.3700 Fax: 209.552.2512

Architectural Plan Review

Listed below are the basic information requirements to complete a Stanislaus County Fire Prevention Bureau plan review.

Not all items may pertain to your project.

- 1. Is a site plan required? Has it been approved?
- 2. Plans shall be drawn to an indicated scale, on a minimum sheet size of 24" x 36", with a printed title block. Providing all contact and licensing information.
- 3. Provide current California Building Code & California Fire Code references.
- 4. Define scope of work. Cloud or isolate project areas.
- 5. Specify intent of use – what the area/building is being used for.
- 6. Provide project name, full street address, tract number and A.P.N.
- 7. Provide a floor plan for the project/building.
- 8. Include access roads, driveways, and any adjoining streets.
- 9. Specify the proposed occupancy group as required by California Building Code, Chapter 3.
- 10. Show construction type.
- 11. Show occupant loads in assembly occupancies.
- 12. Show exit signs and tactile exit signs.
- 13. Show emergency lighting (A occupancies with 100 or more occupants), R occupancies, E occupancies, in rooms/corridors.
- 14. Show all panic hardware. Detail type model numbers and specifications.
- 15. Provide notes referencing all provisions of the California Fire Code, NFPA, and all local amendments.

Direct technical questions to 209 552-3700

Providing the above-listed information does not guarantee plan approval.